

## **REKTOL ATF 200**

Rektol ATF 200 is a transmission fluid for automatic transmissions and power steering systems according to specifications of General Motors, Allison, Ford, Mercedes Benz, VOLVO ....

- outstanding low temperature behavior
- high load carrying capacity
- extended service life, resistant to oxidation
- improved wear protection
- not foaming
- stable lubricating film at high oil temperatures

The original oil formulation according to specification was an inherent part of our product range in our in-house production until the 1990s.

## SPECIFICATIONS

	DEXRON	HISTORIC TERMS:
		M2C-9010 A, M2C-138 CJ, M2C-202-B, MERCON, GM DEXRON
		B, DEXRON II D/E, CHRYSLER MS-7176 D
		MERCEDES BENZ 236.6, ATF-D
- 1		

## TYPICAL CHARACTERISTICS

Density at 15°C	g/ml	DIN 51757	0,865
Flash point	°C	DIN ISO 2592	>185
Pour point	°C	DIN ISO 3016	- 40
Viscosity at 40°C	mm²/sec	DIN 51562	42,0
Viscosity at 100°C	mm²/sec	DIN 51562	7,8

Available in the following packaging sizes:

- 2 litre tin can
- 5 litre can
- 20 litre can

Special packaging sizes are available on request.

Issue: February 2018

